

Automatic Scrubbers SS5

BUILT-IN "NOBLES VALUE" INCLUDES:

85.5 l/22.5 gal Solution Tank & 102.6 l/27 gal Recovery Tank Quick Train $^{\rm TM}$ Controls

Touch Panel Controls

Three selectable down pressures & solution flows

Extremely Low Noise Levels (≤68 dBa)

100% Recovery in 180º point turns Automatic: Water On / Off Brush On / Off

Brush Shutoff at 80% Discharge

Parking Brake

Adjustable Ergonomic Handle ec-H2OTM Equipped Models Include:

Electrically Converted Water Technology System

Two Scrubbing Modes: ec-H2OTM & Conventional Scrubbing

Standard (4) 6 V 240AH Battery Pack (Optional AGM Batteries)

Battery Tray On-board Charger

Low Voltage Cut Off

Edge & Reach Under Cleaning

No Tool Brush / Squeegee Change Includes StandardPad Drivers or Scrubbing Brushes (Select One) High Traction Drive Wheels

Cast Aluminum Squeegee Frame & Scrub Decks Rugged DuramerTM Tank Construction

FaST[®] Equipped Models Include:

Foam Scrubbing Technology System
Two Scrubbing Modes: FaSTTM & Conventional Scrubbing

On-Board FaST-PAKTM 2L Detergent Cartridge (Select One)

			ate of LA Pricing	-
Base Configuration	Reference Number	1 unit	<u>6-11 units</u>	12+ units
Cleaning Type SpeedScrub® Walk-Behind Scrubber 600 mm/24" - Disk	SS5-600-D	\$6,789.53	\$6,789.53	\$6,167.95
SpeedScrub® Walk-Behind Scrubber 700 mm/28" - Disk	SS5-700-D	\$7,356.10	\$7,356.10	\$6,682.65
SpeedScrub® Walk-Behind Scrubber 700 mm/25 - Disk SpeedScrub® Walk-Behind Scrubber 800 mm/32" - Disk	SS5-800-D	\$7,759.57	\$7,759.57	\$7,049.18
SpeedScrub® Walk-Behind Scrubber 650 mm/26" - Cylindrical	SS5-650-C	\$7,597.89	\$7,597.89	\$6,902.31
SpeedScrub® Walk-Behind Scrubber 800 mm/32" - Cylindrical	SS5-800-C	\$8,567.93	\$8,567.93	\$7,783.54
Cleaning Technology: (conventional is standard, ec-H2O or FaST: can al	lso operate in conventional mode	e)		
ec-H2O™	ec-H2ONC-SS5	\$1,430.73	\$1,430.73	\$1,299.75
FaST®	FaST-SS5	\$1,276.93	\$1,276.93	\$1,160.02
Squeegee Width (See Note 1)				
Narrow Aisle	NR-SS5	N/C	N/C	N/C
Standard	STD-SS5	N/C	N/C	N/C
Battery Type				
Wet 240AH C/20	9001585	N/C	N/C	N/C
Sealed/MF AGM 200AH C/20	9001586	\$510.06	\$510.06	\$463.36
Without Battery (Note 2)		(\$304.03)	(\$304.03)	(\$276.19
HydroLink® Battery Watering Kit (Note 3)	9009619	\$255.39	\$255.39	\$232.00
Charger	Reference Number			
20A 85-130V AC 50/60Hz 1 Ph - on board	9005737	N/C	N/C	N/C
19A 110-240V AC 50/60Hz 1Ph - off board Without Charger	1029256	N/C (\$304.03)	N/C (\$304.03)	N/0 (\$276.19
Cleaning Performance (Note 4)	Reference Number			
Power Wand w/Prep Kit (Includes wand, brushes and	Reference Number			
hoses. See note 6)	9002407 & 9001758	\$849.14	\$849.14	\$771.40
Power Wand Prep Kit (Pump Only)	9001758	\$246.09	\$246.09	\$223.56
FaST ® Detergent (Note 5)				
FaST® MP (2L) - Neutral Cleaner	1017019	N/C	N/C	N/C
FaST® MPD (2L) - Heavy Duty Degreaser	1017025	N/C	N/C	N/C
Machine Protection & Safety	Reference Number			
Tires, Gray Solid Urethane	9004906	N/C	N/C	N/C
Tires, Gray Pneumatic Rubber	9004907	\$85.84	\$85.84	\$77.98
Tires, Gray Foam-Filled Rubber	9004908	\$85.84	\$85.84	\$77.98
Emergency Stop	9001578	\$83.70	\$83.70	\$76.03
Brushes and Pads (Note 6)	Reference Number			
600mm/24" Disk Scrubbing Brushes/Pads (2 Required - 12" each)				
Polypropylene	1025095	N/C	N/C	N/C
Nylon	1025094	N/C	N/C	N/C
Super Abrasive	1025096	\$157.38	\$157.38	\$142.97
Pad Driver	385944	N/C		N/C
Pads				
Blue Scrubbing - 3M	385942	\$3.32	\$3.32	\$3.02
Red Cleaning - 3M	385941	\$3.32	\$3.32	\$3.02
White Polishing - 3M	385940	\$3.32	\$3.32	\$3.02
Maroon Surface Prep Pad - 3M - 3M	1051020	\$4.15	\$4.15	\$3.77

	700mm/28" Disk Scrubbing Brushes/Pads (2 Required - 14" each)				
	Polypropylene	399247	N/C	N/C	N/C
	Nylon	399246	N/C	N/C	N/C
	Super Abrasive	399245	\$157.38	\$157.38	\$142.97
	Pad Driver	399249	N/C	N/C	N/C
	Pads				
	Blue Scrubbing - 3M	222326	\$4.08	\$4.08	\$3.71
	Red Cleaning - 3M	222325	\$4.08	\$4.08	\$3.71
	White Polishing - 3M	222324	\$4.08	\$4.08	\$3.71
	Maroon Surface Prep Pad - 3M	1051026	\$4.61	\$4.61	\$4.19
	800mm/32" Disk Scrubbing Brushes/Pads (2 Required - 16" each)				
	Polypropylene	399244	N/C	N/C	N/C
	Nylon	399243	N/C	N/C	N/C
	Super Abrasive	399942	\$157.38	\$157.38	\$142.97
	Pad Driver	399250	N/C	N/C	N/C
	Pads				
	Blue Scrubbing - 3M	63248-2	\$4.83	\$4.83	\$4.38
	Red Cleaning - 3M	63248-3	\$4.83	\$4.83	\$4.38
	White Polishing - 3M	63248-4	\$4.83	\$4.83	\$4.38
	Maroon Surface Prep Pad - 3M	1051027	\$5.90	\$5.90	\$5.36
	650mm/26" Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene	399252	N/C	N/C	N/C
	Heavy Duty Polypropylene	399253	N/C	N/C	N/C
	Nylon	399251	N/C	N/C	N/C
	Abrasive	399254	\$157.38	\$157.38	\$142.97
	OCCUPATION Coding to local Complete on Describe on (O. Describe)				
	800mm/32" Cylindrical Scrubbing Brushes (2 Required) Polypropylene	222307	N/C	N/C	N/C
	Heavy Duty Polypropylene	374042	N/C	N/C	N/C
	Nylon	222308	N/C	N/C	N/C
	Abrasive	222309	\$157.38	\$157.38	\$142.97
Support		Reference Number			
	SpeedScrub® Operator Manual (English)	9002370	N/C	N/C	N/C
	SpeedScrub® Operator Manual (Spanish)	9002371	N/C	N/C	N/C
	SpeedScrub® Operator Manual (French)	9002372	N/C	N/C	N/C
	Additional Operator Manual	see above	\$66.53	\$66.53	\$60.43
	SpeedScrub® Service Manual	9002377	N/C	N/C	N/C
	Packaging				
	Pad Wrap (Note 4)		N/C	N/C	N/C
	Skid w/Carton, Stackable - Disk Machines (See Note 5)	9002544	\$208.89	\$208.89	\$189.76
	Skid w/Carton, Stackable - Cylindrical Machines (See Note 5)	9002546	\$208.89	\$208.89	\$189.76
	Skid with Stretch Wrap - Disk Machines	9002548	\$145.93	\$145.93	\$132.57
	Skid with Stretch Wrap - Cylindrical Machines	9002549	\$145.93	\$145.93	\$132.57
	Skio with Stretch Wrap - Cylindrical Machines	9002549	\$145.93	\$145.93	\$132.

AUTOMATIC SCRUBBERS SS3

BUILT-IN "NOBLES VALUE" INCLUDES:

39 L/10.5 gal Solution Tank & 56 L/15 gal Recovery Tank

Rugged DuramerTM Tank Construction

 $\mathsf{Hygienic}^{\mathsf{TM}}\,\mathsf{Recovery}\,\mathsf{Tank}$ Adjustable Solution Flow

Extremely Low Noise Level (≤68.5 dBa) .75 kW/1 HP brush motor, 230 RPM

Cast Aluminum Scrub Deck Cast Aluminum Squeegee Frame Breakaway Squeegee Design

Factory Set Squeegee Assembly for Maximium Recovery 100% Recovery in 180º Point Turns

Squeegee Hang

Linatex Squeegee Blades

Standard (2) Wet 105AH Batteries for 17"

Standard (2) Wet 130AH Batteries for 20" Pad Assist Standard (2) Wet 150AH Batteries for Self Propel and Orbital

Battery Tray On-board Charger Recovery Tank Debris Tray Unsurpassed Ergonomic Design Gray Non-Marking Tires Automotive Triple-Sealed Electrical Connectors 10cm /4" Edge & Reach Under Cleaning Key Switch for Safety No Tool Brush / Squeegee Change

Available with both ec-H2O™ or FaST® SS3 XC Only available in ec-H2O™ or FaST®

Batteries and Brushes/Pad Drivers are not included with base machine.

Please check availability for phase out		State of LA Pricing		
Pre-Configured Machines (Note 1)	Reference Number	1 unit	6-11 units	12+ units
SS3 Walk-Behind Scrubber 430 mm/17" - Pad Assist, Conventional w/105AH				
Battery	MV-SS3-0001	\$3,616.89	\$3,616.89	\$3,285.76
SS3 Walk-Behind Scrubber 510 mm/20" - Pad Assist, Conventional w/130AH		_	_	_
Battery	MV-SS3-0002	\$4,079.01	\$4,079.01	\$3,705.58
SS3 Walk-Behind Scrubber 510 mm/20" - Self Propel, Conventional w/150AH				
Battery	MV-SS3-0018	\$4,849.03	\$4,849.03	\$4,405.11
SS3 Walk-Behind Scrubber 430 mm/17" - Pad Assist, ec-H2O w/105AH Battery	MV-SS3-0008	\$4,618.40	\$4,618.40	\$4,195.59
SS3 Walk-Behind Scrubber 510 mm/20" - Pad Assist, ec-H2O w/130AH Battery	MV-SS3-0009	\$5,080.52	\$5,080.52	\$4,615.41
SS3 Walk-Behind Scrubber 510 mm/20" - Self Propel, ec-H2O w/150AH Battery	MV-SS3-0010	\$5,850.54	\$5,850.54	\$5,314.93
SS3 Walk-Behind Scrubber 600 mm/24" - Self Propel, ec-H2O w/150AH Battery	MV-SS3-0013	\$6,210.09	\$6,210.09	\$5,641.55
SS3 Walk-Behind Scrubber 510 mm/20" - Orbital, Self Propel, Conventional,				
w/150AH Battery	MV-SS3-0014	\$5,162.08	\$5,162.08	\$4,689.49
SS3 Walk-Behind Scrubber 510 mm/20" - Orbital, Self Propel, Conventional,				
w/AGM 140AH Battery	MV-SS3-0015	\$5,712.19	\$5,712.19	\$5,189.24
SS3 Walk-Behind Scrubber 510 mm/20" - Orbital, Self Propel, ec-h2O, w/150AH				
Battery	MV-SS3-0016	\$6,163.59	\$6,163.59	\$5,599.31
SS3 Walk-Behind Scrubber 510 mm/20" - Orbital, Self Propel, ec-H2O, w/AGM				
140AH Battery	MV-SS3-0017	\$6,713.70	\$6,713.70	\$6,099.06

All models listed above are packaged with a Pad Driver and On-Board Charger

All Pre-Configured Machines are packaged in a Skid w/Carton for shipment via LTL carriers. No additional options can be added or changed.

Automatic	<u>Scrubbers</u>		St	ate of LA Pricing	1
<u>SS15</u>	Cleaning Type	Reference Number	1 unit	6-11 units	12+ units
	Speed Scrub® 15 Cord-Electric Cylindrical Scrubber 15" (380 mm) cleaning path. Complete package includes	9004200	\$2,163.98	\$2,163.98	\$1,965.86
	removable, Hygenic® fully cleanable 3 gallon (11.4 liter) solution/ 4.5 gallon (17 liters) recovery tanks, Insta-Adjust TM handle, hydno brush, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual. Boxed Dimensions: 34" L x 22" W x 32" H (864 mm x 559 mm x 813 mm). *				
	Shipping Weight / Volume: 125 lb (57 kg) / 13.9 ft ³ (.39 m ³)				


SS-15 Battery Cylindrical Scrubber - 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 2.5 gallon (9.5liter) solution/ 3.4 gallon (12.9 liters) recovery tanks, Insta-AdjustTM handle, nylon brush, appropriate off board world charger with power cord and multi-language operator manual. Boxed Dimensions: 32" L x 24" W x 37" H (813 mm x 610 mm x 940 mm). * Shipping Weight (see battery options below)

Speed Scrub® 15" - Battery Cylindrical Scrubber (with AGM batteries) Shipping Weight: 158 lbs/ 72 kg

Speed Scrub® 15" - Battery Cylindrical Scrubber (with Lithium Ion batteries) Shipping Weight: 143 lbs/ 65 kg

9008637 \$2,797.79 \$2,797.79 \$2,541.65 9008640 \$3,608,30 \$3,608,30 \$3,277,96

BURNISHERS MSGR - SpeedGleam Rider







Automated Head Lift True free floating Head Supervisor lock-out Back up Alarm Adjustable Seat Operators manual

On Board Charger Rugged DuramerTM Tank Construction 69 dBa

Emergency Stop Anti-Static Straps Hour Meter



Operators ma	anuai Houriv	heter			
Base Configuration		Reference Number		ate of LA Pricin	_
Base Config	Cleaning Type	Reference Number	1 unit	<u>6-11 units</u>	12+ units
	Speed Gleam Battery Rider Burnisher 610mm/24"	SGR-610	\$12,226.30	\$12,226.30	\$11,597.00
	Speed Gleam Battery Rider Burnisher 690mm/27"	SGR-690	\$12,220.30	\$12,579.14	\$11,931.69
			* · - , - · · · · ·	*,	***,********
	Battery Type Wet 435AH C/20	0040005	N/C	N/C	N/C
		9010885	\$520.02		\$493.25
	Sealed/MF AGM 390AH C/20	9010886		\$520.02	
	Without Battery (Note 1)		(\$415.19)	(\$415.19)	(\$393.82)
	HydroLink® Battery Watering Kit (Note 2)	9009620	\$332.29	\$332.29	\$315.18
	Charger				
	25A 120V AC 50/60Hz 1Ph (on board)	9010881	N/C	N/C	N/C
	25A 120V AC 50/60Hz 1Ph (off board)	1204432	\$250.76	\$250.76	\$237.85
	Without Charger		(\$125.38)	(\$125.38)	(\$118.92)
Cleaning Pe	rformance	Reference Number			
	Dust Control, Passive	PASSIVE	N/C	N/C	N/C
	Dust Control, Active (HEPA 99.97@.3 microns)	9010877	\$367.23	\$367.23	\$348.33
Machine Pro	otection & Safety	Reference Number			
	Strobe Light on Tank	9010878	\$310.37	\$310.37	\$294.39
	Wall Protection Rollers (Note 3)	9010884	\$115.79	\$115.79	\$109.82
Support		Reference Number			
	SpeedGleam Operator Manual (English)	9010727	N/C	N/C	N/C
	SpeedGleam Operator Manual (Spanish)	9010726	N/C	N/C	N/C
	SpeedGleam Operator Manual (French)	9010725	N/C	N/C	N/C
	Additional Operator Manual	see above	\$65.77	\$65.77	\$62.39
	Service Manual (English)	9010735	\$86.33	\$86.33	\$81.88
	Packaging (Note 4)				
	Pad Wrap		N/C	N/C	N/C
	Skid with Stretch Wrap	9010889	N/C	N/C	N/C
	Skid w/Carton, Non-Stackable	9010888	\$208.28	\$208.28	\$197.56

BURNISHERS Speed Gleam 7

BUILT-IN "NOBLES" VALUE" INCLUDES:

610mm/690mm or 24"/27" Burnishing Path Transaxel drive Passive Dust Control

Tooless Felt Dust skirt Pad RPM - 1850

Mechanical Set and Forget TM Down Pressure

True Free Floating Head
Rugged DuramerTM Tank Construction
Two-Way Gas Assist Shock for Tank Open/Close Anti-Static Straps Clamshell Tank Design

Unit shipped with 1 burnishing pad, paper bag and HEPA filter Jacking Points/Shipping Tie Downs

On Board Charger 3m/15 ft power cord Standard (6) 6V 240 AH battery pack for 610mm/24" Standard (6) 6V 330 AH battery pack for 690mm/27"

Battery Tray

Variable Bail

On-Board Trouble Shooting Guide ETL Listed for the US and Canada

64 dBa Emergency Stop Key Switch Hour Meter Operators manual



		State of LA Pricing		
Base Configuration	Reference Number	1 unit	6-11 units	12+ units
Cleaning Type				<u>.</u>
Speed Gleam 7 Battery Walk-Behind Burnisher 610mm/24"	SG7-610	\$5,611.28	\$5,611.28	\$5,322.47
Speed Gleam 7 Battery Walk-Behind Burnisher 690mm/27"	SG7-690	\$6,210.78	\$6,210.78	\$5,891.10
Battery Type				
Wet 240AH C/20 (standard on 610mm/24" unit)	9012673	\$318.59	\$318.59	\$302.19
Wet 330AH C/20 (standard on 690mm/27" unit)	9012674	\$354.90	\$354.90	\$336.63
Wet 360AH C/20	9012675	\$426.84	\$426.84	\$404.87
Sealed/MF AGM 312AH C/20	9012676	\$1,467.91	\$1,467.91	\$1,392.35
Without Battery (Note 1)	9012830	N/C	N/C	N/C
Battery Watering System				
HydroLink® Battery Watering Kit (Note 2)	9009620	\$332.29	\$332.29	\$315.18
Charger				
25A 85-265V AC 50/60Hz 1Ph (on board)	9012668	N/C	N/C	N/C
25A 85-265V AC 50/60Hz 1Ph (off board - wet 240 AH batteries)	1208644	N/C	N/C	N/C
25A 85-265V AC 50/60Hz 1Ph (off board - wet 330 AH batteries)	9012739	N/C	N/C	N/C
25A 85-265V AC 50/60Hz 1Ph (off board - wet 360 AH batteries)	9012739	N/C	N/C	N/C
25A 85-265V AC 50/60Hz 1Ph (off board - Sealed/MF 312 AH batteries)	9012740	N/C	N/C	N/C
Without Charger		(\$188.41)	(\$188.41)	(\$178.71)

	Down Pressure				
	Mechanical Set and Forget [™] Down Pressure	9012640	N/C	N/C	N/C
	Automated Down Pressure	9012641	\$256.93	\$256.93	\$243.70
Cleaning Per	rformance	Reference Number			
	Dust Control System, Passive - 95% @ .3 microns	PASSIVE	N/C	N/C	N/C
	Dust Control System, Active - HEPA Filtration to 99.97% @ .3 microns	9012657	\$226.10	\$226.10	\$214.46
	Dust Control Filter, Paper Filter Bag	1210869	N/C	N/C	N/C
	Dust Control Filter, Cloth Bag (Note 3)	1208744	\$17.13	\$17.13	\$16.24
Machine Pro	tection & Safety	Reference Number			
	Parking Brake	9012669	\$30.83	\$30.83	\$29.24
Support		Reference Number			
	Speed Gleam 7 Operator Manual - English	9011615	N/C	N/C	N/C
	Speed Gleam 7 Operator Manual - Spanish	9011617	N/C	N/C	N/C
	Speed Gleam 7 Operator Manual - French	9011618	N/C	N/C	N/C
	Additional Operator Manual	see above	\$17.81	\$17.81	\$16.90
	Service Manual (English)	9011478	\$86.33	\$86.33	\$81.88
	Packaging (Note 4)				
	Pad Wrap	44961	N/C	N/C	N/C
	Skid with Stretch Wrap	9012683	\$82.22	\$82.22	\$77.98
	Skid w/Carton, Stackable	9012681	\$147.30	\$147.30	\$139.72

BURNISHERS Speed Gleam 5

BUILT-IN "NOBLES" VALUE" INCLUDES:

510mm/20" Burnishing Path Push or Self-Propelled Available Passive Dust Control Tooless Felt Dust skirt Pad RPM - 2100

Mechanical Set and Forget TM Down Pressure

True Free Floating Head
Rugged DuramerTM Tank Construction

Two-Way Gas Assist Shock for Tank Open/Close

Two-way das Assist Shock for Tank Open Good
Anti-Static Straps
Clamshell Tank Design
Jacking Points/Shipping Tie Downs
Unit shipped with 1 burnishing pad and 1 paper dust bag

On Board Charger 3m/15 ft power cord

Standard (3) 12V 185 AH Battery Pack for Pad/Brush Assist Standard (3) 12V 225 AH Battery Pack for Self-Propelled Unit

Battery Tray

On-Board Trouble Shooting Guide ETL Listed for the US and Canada

64 dBa
Emergency Stop
Key Switch
Hour Meter

Operators manual



			State of LA Pricin		
Base Config		Reference Number	<u>1 unit</u>	6-11 units	12+ units
	Cleaning Type				
	SpeedGleam 5 Battery Walk-Behind Burnisher 510mm/20" (Note 1)	SG5-510	\$4,400.64	\$4,400.64	\$4,174.14
	Drive Type				
	Pad Assist	Pad-SG5	N/C	N/C	N/C
	Self Propel	Self-SG5	\$1,011.95	\$1,011.95	\$959.86
	Battery Type				
	Wet 185AH C/20	9012670	N/C	N/C	N/C
	Wet 225AH C/20 (Note 2)	9012671	\$171.28	\$171.28	\$162.47
	Sealed/MF AGM 234AH C/20	9012672	\$1,141.44	\$1,141.44	\$1,082.69
	Without Battery (Note 3)	9012829	(\$202.12)	(\$202.12)	(\$191.71)
	Williout Battery (Note 3)	9012029	(ΨΖΟΖ. 1Ζ)	(φ202.12)	(\$191.71)
	HydroLink® Battery Watering Kit (Note 4)	9009620	\$332.29	\$332.29	\$315.18
	Charger	Reference Number			
	25A 85-265V AC 50/60Hz 1Ph On-Board for 185AH and 225AH	9012668	N/C	N/C	N/C
	25A 85-265V AC 50/60Hz 1Ph Off-Board for 185AH and 225AH	1208644	N/C	N/C	N/C
	25A 85-265V AC 50/60Hz 1Ph Off-Board for Sealed/MF 234AH	9012740	N/C	N/C	N/C
	Without Charger		(\$188.41)	(\$188.41)	(\$178.71
	Down Pressure				
	Automated Down Pressure	9012641	\$263.78	\$263.78	\$250.20
	Mechanical Set and Forget [™] Down Pressure (Note 1)	9012640	N/C	N/C	N/C
Cleaning Pe	rformance	Reference Number			
Oleaning i e	Dust Control System, Active - HEPA Filtration to 99.97% @ .3 microns	9012657	\$226.10	\$226.10	\$214.46
	Dust Control System, Passive - 95% @ .3 microns	PASSIVE	W/C	Ψ220.10 N/C	WZ 14.40
	Dust Control Filter, Paper Filter Bag	1210869	N/C	N/C	N/C
	Dust Control Filter, Cloth Dust Filter Bag (Note 5)	1208744	\$17.13	\$17.13	\$16.24
Machine Pro	etection & Safety	Reference Number			
	Parking Brake	9012669	\$30.83	\$30.83	\$29.24
Support		Reference Number			
	SpeedGleam 5 Operator Manual - English	9011615	N/C	N/C	N/C
	SpeedGleam 5 Operator Manual - Spanish	9011617	N/C	N/C	N/C
	SpeedGleam 5 Operator Manual - French	9011618	N/C	N/C	N/C
	Additional Operator Manual	see above	\$17.81	\$17.81	\$16.90
	Service Manual (English)	9011478	\$86.33	\$86.33	\$81.88
	Packaging (Note 6)				
	Pad Wrap	44961	N/C	N/C	N/C
	Skid w/Carton, Stackable	9012678	\$106.20	\$106.20	\$100.73
	Skid with Stretch Wrap	9012680	\$65.09	\$65.09	\$61.73
	Skiu with Shetch Wiap	9012680	φ05.09	\$65.09	φ01./3

Cleaning Type	Reference Number	<u>1 unit</u>	<u>6-11 units</u>	12+ units
BR-2000-DC Dust Control Burnisher* - 2000 rpm 20" (508mm) Complete package includes flexible pad driver, 75-ft. (23m) power cord, cloth filter bag and 1 pad. CSA US/C* Boxed dimensions: 34L x 27W x 51H (864mm x 686mm x 1295mm) Shipping Weight: 93 lbs. (42 kg) / Cu. Ft.: 27.093 (Cu. M76)	9007349	\$1,261.75	\$1,261.75	\$1,206.41
BR-1600-NDC Burnisher - 1600 rpm 20" (508mm) Complete package includes flexible pad driver and a 75-ft. (23m) power cord. Boxed dimensions: 31L x 23W x 53H (787mm x 584mm x 1346mm) Shipping Weight: 100 lbs. / Cu. Ft.: 21.868	9007347	\$963.69	\$963.69	\$921.42

FLOOR MACHINES		St	ate of LA Pricin	9
Cleaning Type	Reference Number	1 unit	<u>6-11 units</u>	12+ units
FM-17-SS - Heavy Duty 17" (432mm) Floor Machine 175 rpm floor machine (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: 100 lbs. (43 kg) / Cu. Ft.: 16.25 (Cu. M46)	9007330	3483.54	\$483.54	\$459.83
FM-20-SS - Heavy Duty 20" (508mm) Floor Machine 175 rpm floor machine (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M46)	9007336	\$506.15	\$506.15	\$481.33
FM-20-DS - Heavy Duty Dual Speed 20" (508mm) Floor Machine 185/330 rpm floor machine (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: 96 lbs. (44 kg) / Cu. Ft.: 16.25 (Cu. M46)	9007334	\$788.25	\$788.25	\$749.61

Speed-SQ 14 Orbital Floor Machine - Available in 20" x 14"/345 mm x 510 mm path width, dual capacitor, 1.5 HP TEFC Motor, motor protection cover and 50/15 m cord with interlocking pig tail, 182 lbs./83 kg standard. Machine shipped with backer pad & in separate bag - a backer pad with velcro.



Boxed dimensions: 22"L x 24"W x 52"H (559mm X 610mm x 1321 mm) Shipping Weight: Unit 213 lbs. (97 kg) / Cu. Ft.: 15.51

1071994 \$1,585.24 \$1,585.24 \$1,507.53

SWEEPERS

		State of LA Pricing				
Cleaning Type	Reference Number	1 unit	<u>6-11 units</u>	12+ units		
Scout™ 9 - 35 in (900 mm) Battery Walk-Behind Sweeper	9010139	\$2,719.04	\$2,719.04	\$2,678.76		
35" (900mm) cleaning path with two side brooms and TwinMax™ sweeping technology, 2.2 cu. Ft (60 L) hopper capacity, Comes with battery and on-board charger.						
Boxed dimensions: 47in x 34in x 36 in (1200mm x 854mm x 925mm) Shipping Weight: 300lb/137kg / Cu. Ft.: 34.29						
Scout™ 5 - 24 in (620 mm) Battery Walk-Behind Sweeper	1071118	\$1,777.78	\$1,777.78	\$1,751.45		
24" (620mm) cleaning path with one side broom and TwinMax™ sweeping technology, 1.3 cu. Ft (37 L) hopper capacity, Comes with battery and on-board charger.						
Boxed dimensions: 41in x 27in x 25 in (1040mm x6800mm x 790mm) Shipping Weight: 121lb/55kg / Cu. Ft.: 16						
Scout™ 3 - 34 in (870 mm) Manual Walk-Behind Sweeper	1071116	\$450.23	\$450.23	\$430.22		
34" (870mm) cleaning path with two side brooms and TwinMax™ sweeping technology, 1.8 cu. Ft (50 L) hopper capacity.						
Boxed dimensions: 47in x 32in x 25 in (1200mm x 800mm x 640mm) Shipping Weight: 64lb/29kg / Cu. Ft.: 21.7	The state of the s					

Upright, Portable, and Canister Vacuums

Cleaning Type	Reference Number	Stat	e of LA Pricing	_
V-WA-30 30" (762mm) Wide Area Vacuum Certified CRI Bronze Cleaning Performance. Comes standard with HEPA filtration, and spare bag and 75 ft. (23m) safety-yellow power cord. ETL US/C Boxed Dimensions: 18"L x 32.25 "W x 43.25 "H (457mm x 819mm x 196mm) * Shipping Weight: 100 lbs. (45.36kg) Made in the USA with Globally sourced components	1068029	\$1,672.78	\$1,620.91	\$1,543.10
V-WA-26 26" (660mm) Dual Motor Vacuum * Includes one disposable paper bag. ETL US/C* Boxed dimensions: 27L x 20W x 44H (686mm x 508mm x 1118mm) Shipping Weight: 58 lbs. / Cu. Ft.: 14.5	9007457	\$1,016.40	\$984.89	\$937.61
V-LWU-13 Light Weight Upright Commercial Vacuum Certified CRI Gold Cleaning Performance. Weighs only 8lbs (3.6 kg). Comes standard with HEPA filtration, spare belt and bag and 50 ft. (15m) safety-yellow power cord. ETL US/C Boxed Dimensions: 35.625"L x 14.56"W x 5.875 "H (905mm x 370mm x 149mm) Shipping Weight: 12.9 lbs. (5.85kg) Made in the USA with Globally sourced components	1068028	\$200.16	\$193.95	\$184.64
V-HDU-14 14" (356mm) Dual Motor Vacuum * Triple filtration, 6 position brush height adjustment, 40-ft. (12m) power cord, crevice tool, swivel wand and flex hose. CSA US/C* Boxed dimensions: 39L x 15.5W x 9.5H (991mm x 394mm x 241mm) * Shipping Weight: 28 lbs. / Cu. Ft.: 3.32	9007462	\$534.84	\$518.26	\$493.38

 Wet/Dry Vacuums
 State of LA Pricing

 Cleaning Type
 Reference Number
 1 unit
 6-11 units
 12+ units

Cleaning Type	Reference Number	<u>1 unit</u>	<u>6-11 units</u>	12+ units
V-WD-16P 16-gal. Wet/Dry Vacuum * 16 gallon capacity, 107" (2718mm) waterlift with automatic pump-out. Includes one cloth and one paper filter bag, a 10-ft. (3m) vacuum hose and 50-ft. (15m) power cord. CSA US/C*	9007473 Squeegee sold as option	\$793.45	\$793.45	\$755.37
Boxed dimensions: 30L x 20W x 34H (762mm x 508mm x 864mm) Shipping Weight: 83 lbs. / Cu. Ft.: 12.59				
V-WD-16B 16-gal. Battery Wet/Dry Vacuum 16 gallon capacity. Comes standard with one cloth, one	9007471	\$1,287.78	\$1,287.78	\$1,225.96
paper bag and a 10-ft. (3m) vac hose, battery charger and 2 batteries (105 amp hours, 12 volt). Front Mount Squeegee Kit is optional.	Squeegee sold as option			
Boxed dimensions: 45L x 21.5W x 41H (1143mm x 546mm x 1041mm) * Shipping Weight: 125 lbs. / Cu. Ft.: 10.2	орион			
V-WD-16B - 16-gal. Battery Wet/Dry Vacuum without batteries & charger	9007475	\$751.89	\$751.89	\$715.80
V-WD-15 15-gal. Wet/Dry Vacuum 15 Gallon Tank capacity. 92" (2337mm) Waterlift. Includes one cloth and one paper filter bag, 10-ft. (3m) vac hose,	9007469	\$399.87	\$399.87	\$380.68
standard drain hose, Contractor Tool Kit and 50-ft. (15m) power cord. Front Mount Squeegee Kit is optional.	Squeegee sold as option			
Boxed dimensions: 31L x 16W x 35H (787mm x 406mm x 889mm) * Shipping Weight: 65 lbs. / Cu. Ft.: 10.046				

V-WD-15S 15-gal. Wet/Dry Vacuum with 26" squeegee standard 15 Gallon Tank capacity. 92" (2337mm) Waterlift. Includes one cloth bag, one paper filter bag, 10-ft. (3m) vac hose, 50-ft. (15m) power cord. Contractor Tool Kit is optional.

Boxed dimensions: 31L x 16W x 35H (787mm x 406mm x 889mm) * Shipping Weight: 65 lbs. / Cu. Ft.: 10.046

9008703

\$591.94

\$563.53

\$563.53

Strive[®]

BUILT-IN "NOBLES VALUE" INCLUDES:

ReadySpace® cleaning technology and deep extraction 560mm/22" cleaning path 72 l/21-gal. solution and recovery tanks One set of ReadySpace® rollers & extraction brushes Battery Discharger Indicator

Standard (4) 6V 240 AH battery pack Battery Tray 19 Amp Off-board charger Rugged DuramerTM Tank Construction Operators video Operators manual CRI certified, Bronze Cleaning Performance



		State of LA Pricing		
co-Configured Machines (Note 1)	Potoronco Numbor	1 unit	6-11 unite	

CRI certilled, Biorize	CRI certified, profize Cleaning Performance			
	State of LA Pricing			<u>a</u>
Pre-Configured Machines (Note 1)	Reference Number	1 unit	6-11 units	12+ units
Strive ReadySpace Walk-Behind w/ Wet 240AH Battery and Charger	MV-STRV-0001	\$8,355.57	\$8,355.57	\$7,937.78
Strive ReadySpace Walk-Behind w/ AGM 200AH Battery and Charger	MV-STRV-0002	\$8,589.72	\$8,589.72	\$8,160.23

All Stock Configurations are packaged in a Skid w/Carton for shipment via LTL carriers. No additional options can be added or changed.

Base Config	uration	Reference Number				
	Cleaning Type					
	Strive Walk-Behind Dual Technology Carpet Maintainer 560mm / 22"	Strive-560	\$8,163.73	\$8,163.73	\$7,755.54	
	Battery Type					
	Wet 240AH C/20	9012452	N/C		N/C	
	Sealed/MF AGM 200AH C/20	9012454	\$234.16	\$234.16	\$222.45	
	Without Battery (Note 2)		(\$539.69)	(\$539.69)	(\$512.71)	
	Charger					
	19A 120V-240V AC 50/60Hz 1Ph	1029256	N/C		N/C	
	19A 120V-240V AC 50/60Hz 1Ph (for sealed batteries)	1058164	N/C		N/C	
	Without Charger		(\$406.11)	(\$406.11)	(\$385.80)	
Support	Reference Number					
	Strive Operator Manual (English/Spanish/French)	9003506	N/C		N/C	
	Additional Operator Manual	see above	\$18.34	\$18.34	\$17.42	
	Parts Manual (English)	9003507	N/C		N/C	
	Packaging (Note 3)					
	Pad Wrap		N/C		N/C	
	Skid w/Carton, Stackable	9012455	\$191.84	\$191.84	\$182.25	
	Skid with Stretch Wrap	9012456	\$144.58	\$144.58	\$137.35	

<u>Carpet Extractors</u> <u>State of LA Pricing</u>

Cleaning Type Reference Number 1 unit 6-11 units 12+ units Falcon[™] Ultra Battery \$5,867.18 \$5,867.18 \$5,867.18 608351 17 gal., 22" (559mm) cleaning path, 100 psi, 81" (2057mm) waterlift, two 12 volt, 215 amp hours batteries and 24 volt automatic charger. Boxed dimensions: 54L x 30W x 42H (1372mm x 762mm x 1067mm) Shipping Weight: 235 lbs. / Cu. Ft.: 39.97 Falcon[™] 2800 Plus 608352 \$5,395.04 \$5,395.04 \$5,395.04 28-gal., 22" (559mm) cleaning path, 100 psi, 137" (3480mm) waterlift, detachable 75-ft. (23m) power cord. Interim/Restorative cleaning modes. Boxed dimensions: 54L x 24W x 46H. (1372mm x 610mm x 1168mm) Shipping Weight: 295 lbs. / Cu. Ft.: 34.5 9007480 \$2,173.17 EX-SC-1020P Self-Contained Forward Push Extractor \$2,173.17 \$2,068.86 Patented 10-gal expansion cavity, 20" (508mm) cleaning path, 100 psi, 137" (3480mm) waterlift. U.S. Patent Boxed dimensions: 41L x 22W x 45H (1041mm x 559mm x 1143mm) Shipping Weight: 142 lbs. / Cu. Ft.: 23.5 9007486 \$1,886.02 \$1,886.02 EX-SC-1020 - Self-Contained Extractor \$1,795.49 Patented 10-gal. Expansion cavity, 20" (508mm) cleaning path, 100 psi, 137" (3480mm) waterlift. U.S. Patent #4,956,891. ETL US/C* CRI certified, Bronze Cleaning Performance. Boxed dimensions: 41L x 22W x 45H (1041mm x 559mm x 1143mm) Shipping Weight: 142 lbs. / Cu. Ft.: 23.5 Strive® Compact - Cord Electric 5-gal. ReadySpace® Interim Carpet Cleaner 9004202 \$2,316.75 \$2,316.75 \$2,205.54 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust™ handle, two **ReadySpace®** rollers, 50ft (15-m) "safety yellow" power cord and multi-language operator manual. CRI certified, Bronze Cleaning Performance.
Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940 mm). * Shipping Weight: 154 lbs. (70 kg) 9004201 Speed $\mathsf{Ex}^{\scriptscriptstyle\mathsf{TM}}$ - Cord Electric 5-gal. Extractor \$1,835.01 \$1,835.01 \$1,746.93 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust $^{\mbox{\tiny TM}}$ handle, one double-tuft reverse pattern chevron brush, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual. CRI certified, Silver Cleaning Porfer Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940 mm). * Shipping Weight: 138 lbs. (63 kg)

EX-SC-716 Self-Contained Extractor

7 gal. capacity, 16" (406mm) cleaning path, 100 psi, 117" (2972mm) waterlift. ETL US/C*

Boxed dimensions: 41L x 22W x 45H (1041mm x 559mm x 1143mm)

Shipping Weight: 123 lbs. / Cu. Ft.: 23.5



4 gal. capacity, 12" (330mm) cleaning path, 65 psi, 91.5"

(232cm) waterlift. ETL US/C*

Boxed dimensions: 14.5L x 23.5W x 30H (368mm x 597mm x 762mm). *

Shipping Weight: 68 lbs. / Cu. Ft.: 5.5



9007478 \$1 181 98 \$1 181 98 \$1 125 25

\$1,491,81

\$3,400.50

\$1,420,20

\$3.237.28

\$1,491,81

\$3,400.50

Explorer H5 Heated Canister Extractor

15 gal. capacity, variable 200-500 psi, Heated, 13" (330mm) High Airflow Titanium Carpet wand with 2 Unijets, 15-ft. (4.5m) vacuum and solution hoses. 2-40 ft(12.2m) Hospital Grade safety yellow electrical cords (dual cord 15A each cord). Hand tool sold separately. CRI certified - Gold Cleaning Performance with High Airflow Titanium wand & Platinum when used with Orbio solution

ETL-certified to UL & CSA Standards.

Boxed Dimensions: 28.5in x 38in x 55in $\,$ 724mm x 965mm x 1397mm

Shipping Weight: 185lb/84kg



9011455

9007484

Explorer H2 Heated Canister Extractor

15 gal. capacity, 220 psi, Heated, 13" (330mm) Stainless Steel or Titanium Carpet wand with 2 Unijets, 15-ft. (4.5m) vacuum and solution hoses. 2-40 ft(12.2m) Hospital Grade safety yellow electrical cords (dual cord 15A each cord). Hand tool sold separately. CRI certified, Gold Cleaning Performance when used with High Airflow Titanium wand.

ETL-certified to UL & CSA Standards.

Boxed Dimensions: 28.5in x 38in x 55in 724mm x 965mm x 1397mm

Shipping Weight: 160lb/72.5kg



Explorer H2, 220 psi (15.2 bar) Heated Canister Extractor w/ Stainless Steel carpet wand and vacuum

and solution hoses Explorer H2, 220 psi (15.2 bar) Heated Canister Extractor w/ High Airflow Titanium carpet wand and

vacuum and solution hoses

9011453 \$2,581.86 \$2,581.86 \$2,457.93

9012277 \$2,739.29 \$2,739.29 \$2,607.81

Explorer C2 Canister Extractor

15 gal. capacity, 220 psi, 3" (330mm) Stainless Steel or Titanium Carpet wand with 2 Unijets, 15-ft. (4.5m) vacuum and solution hoses, 2-40 ft(12.2m) Hospital Grade safety yellow electrical cords (single 15A cord). Hand tool sold separately. CRI certified, Gold Cleaning Performance when used with titanium wand.

Boxed Dimensions: 28.5in x 38in x 55in 724mm x 965mm x 1397mm

Shipping Weight: 152lb/69kg



Explorer C2, 220 psi (15.2 bar) Canister Extractor w/ Stainless Steel carpet wand and vacuum and solution hosesExplorer C2 Canister Extractor

Explorer C2, 220 psi (15.2 bar) Canister Extractor w/ High Airflow Titanium carpet wand and vacuum and solution hoses

9011639 \$2,046.60 \$2,046.60 \$1,948.36 9012280 \$2,204.03 \$2,204.03 \$2,098.24

Explorer H1 Heated Canister Extractor

15 gal. capacity, 120 psi, Heated, 13" (330mm) Stainless Steel or Titanium Carpet wand with 2 Unijets, 15-ft. (4.5m) vacuum and solution hoses. 40 ft (12.2m) Hospital Grade safety yellow electrical cord (20A single cord). Hand tool sold separately. CRI certified - Gold Cleaning Performance when used with High Airflow Titanium wand.

ETL-certified to UL & CSA Standards.

Boxed Dimensions: 28.5in x 38in x 55in 724mm x 965mm x 1397mm



Explorer H1, 120 psi (8.3 bar) Heated Canister Extractor w/Stainless Steel carpet wand and vacuum and solution hoses

Explorer H1, 120 psi (8.3 bar) Heated Canister Extractor w/ High Airflow Titanium carpet wand and vacuum and solution hoses

5		
		VĪ
-	E. A.	20

9011451	\$1,983.63	\$1,983.63	\$1,888.41
9012269	\$2 141 06	\$2 141 06	\$2 038 29

EX-CAN-10 - Extractor

10 gal. capacity, 13" (330mm) three-jet floor tool, 15-ft. (4.6m) vacuum and solution hoses, 100 psi, 3-stage

vacuum, 137" (3480mm) waterlift. ETL US/C*

Boxed dimensions: 45L x 22W x 41.5H (1143mm x 559mm x 1054mm)

Shipping Weight: 130 lbs. / Cu. Ft.: 23.77



9007502

9007481

\$416.24

\$538.41

\$1,230.48

\$416.24

\$538.41

\$1,230.48

\$396.26

\$1,171.42

EX-SPOT-2 Carpet Spotter

2-gal. (7.57 liter) capacity, 30 psi, 71" (1803mm) waterlift, 4" (102mm) stainless steel hand tool, 10-ft. (2.4m) vacuum and solution hoses.

Boxed dimensions: 26L x 12W x 17H (660mm x 305mm x 432mm). *

Shipping Weight: 26 lbs. / Cu. Ft.: 3.25



EX-SPOT-2-KIT Carpet Spotter Package Includes extractor, stainless steel hand tool with hoses, cleaning kit and portable cart.

Boxed dimensions: 33L x 18.5W x 27H (838mm x 470mm x 686mm). * Shipping Weight: 60 lbs. *



9007629

\$512.56

\$4,156.17

Specialty Machines

Cleaning Type Reference Number State of LA Pricing

QuickClean 12 Multi-Surface Cleaner 15 gal. capacity, variable 400-1200 psi, Hard Surface Turbo Tool option, 25-ft. (8 m) vacuum and solution hoses.2-40 $\label{eq:ft} ft (12.2m) \ Hospital \ Grade \ safety \ yellow \ electrical \ cords.$

ETL (US/C) certified to UL & CSA Standards.

Boxed Dimensions: 28.5 in x 38 in x 55 in (724 mm x 965 mm x 1397 mm)

Shipping Weight: 205 lb (93 kg)

QuickClean, 400-1200psi Multi Surface Cleaner w/ vacuum and solution hoses. QuickClean, 400-1200psi Multi Surface Cleaner w/ hard surface turbo tool, vacuum, and solution hoses.



1072857 \$4,156.17

\$4,156.17

\$5,069.27 \$5,069.27 \$5,069.27

9011459

ASC-15 All Surface Cleaner

15-gal. (57L) solution capacity 19-gal. (72L) recovery capacity. Includes double-bend telescopic aluminum wand, 25-ft. (7.6m) recovery hose, scrub brush, standard 6-ft. (1.8m) to 25-ft. (7.6m) expandable blower hose, 25-ft. (7.6m) expandable blower hose, 25-ft. (7.6m) high pressure hose with variable pressure gun, floor squeegee tool, hand squeegee tool, blower tool, gulper floor drain tool, fill hose and metering tip packet with 3 different dilution ratio tins
Boxed dimensions: 45L x 22.25W x 42H (1143mm x 565mm x 1067mm)

Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M. .54)

9007354

614277

\$180.73

\$2,644.20

\$180.73

\$2,644.20 \$2,644.20

\$180.73

Blower - Three-speed Air Mover 1/2 Horsepower, Three speeds, Stackable, Rotomolded durability. ETL US/C* ETL-certified to UL & CSA Standards.

Boxed dimensions: 20.5L x 17.75W x 22.5H (521mm x 451mmx 572mm) * Shipping Weight: 37.3 lbs.

